

NEBRASKA DEPARTMENT OF HEALTH AND HUMAN SERVICES
Directed Health Measure Order 2020—ELHD-023

Pursuant to Neb. Rev. Stat. §§ 71-502 and 81-601 and Title 173 Neb. Admin. Code Ch. 6 the Nebraska Department of Health and Human Services (“Department”) may exercise its authority to order Directed Health Measures necessary to prevent the spread of communicable disease, illness, or poisoning. The objectives of this order are to reduce morbidity and mortality; minimize disease transmission; protect health care personnel and preserve health care system functioning.

Having reviewed information from the United States Department of Health and Human Services Centers for Disease Control and Prevention (“CDC”), local public health departments, treating health care providers and health care facilities, and other public health, security, and law enforcement authorities; having consulted with medical and communicable disease control personnel of the Department; and having considered directives and guidelines issued by the CDC and other public health authorities, the Director finds as follows:

That a member or members of the public have been exposed to a communicable disease known as COVID-19; there are now confirmed cases of “community spread” or “community transmission” of COVID-19 in the areas subject to this Directed Health Measure.

That multiple areas of the United States are experiencing “community spread” of the virus that causes COVID-19. Community spread, defined as the transmission of an illness for which the source is unknown, means that isolation of persons traveling from known areas of infection is no longer enough to control spread.

That exposure presents a risk of death or serious long-term disabilities to any person; the exposure is wide-spread and poses a significant risk of harm to people in the general population; there is a particular subset of the population that is more vulnerable to the threat and thus at increased risk; and the threat is from a novel infectious disease.

That the immediate implementation of the following Directed Health Measures is necessary to ensure that members of the public do not gather in large numbers, in close proximity to each other, or in enclosed spaces, thereby endangering the health of themselves and the public.

That one of the goals of the following Directed Health Measures is to minimize in-person interaction, which is the main means of transmission of COVID-19.

That gatherings, entertainment venues, restaurants, and bars increase and encourage talking, touching, and other social interaction in environments with a multitude of hard surfaces.

That requiring School Aged Individuals and other individuals to Isolate when required per attached Quarantine and Isolation Directions is the least restrictive practical means of Isolating those individuals that effectively protects unexposed and susceptible individuals.

That requiring School Aged Individuals and other individuals who have had Close Contact to home-Quarantine, unless Quarantined in a health care facility, per attached Quarantine and Isolation Directions is the least restrictive practical means of Quarantining those individuals that effectively protects unexposed and susceptible individuals. Home-Quarantine shall be per the attached Quarantine and Isolation Directions.

That Isolation or Quarantine per attached Quarantine and Isolation Directions will allow the most freedom of movement and communication with family members and other contacts without allowing the transmission of COVID-19 to others, and a home-Isolation or Quarantine will allow the appropriate level of medical care needed for the quarantined individuals unless it is necessary to admit the Isolated or Quarantined individuals to a health care facility.

That hospital capacity and health care resources including health care personnel hours and/or medical supplies, such as personal protective equipment, are being depleted by elective surgeries and elective procedures and that a shortage of hospital capacity or health care resources will hinder efforts of health care personnel and health care facilities to treat persons who test positive for COVID-19.

That a delay in the imposition of an effective Directed Health Measure would significantly jeopardize the ability to prevent or limit the transmission of COVID-19 or pose unacceptable risks to any person or persons.

That rapid and efficient administration of COVID-19 vaccinations to the eligible population would significantly reduce death and hospitalizations due to COVID-19.

That accurate statewide tracking of COVID-19 vaccination would significantly reduce vaccine waste.

That prioritizing vaccinations is the least restrictive method to ensure efficient statewide vaccinations, and to ensure statewide vaccinations are conducted in such a way to mitigate risk to the most vulnerable while managing available vaccine resources.

That the following Directed Health Measures have been identified as effective against public health threats by the CDC and other similar public health authorities to effectively prevent, limit, or slow the spread of COVID-19.

I. Based on conditions in the following areas, the following Directed Health Measures are hereby ordered for Madison, Stanton, Cuming and Burt counties, effective 12:01 AM, March 16, 2021 and continuing through 11:59 PM, April 30, 2021; unless renewed, extended, or terminated by subsequent order, all persons in all the aforementioned county(s) are ordered to comply:

1. A Gathering is defined as any event or convening that brings together more than ten (10) patrons, customers or other invitees, excluding staff, in a single room or single space at the same time, including but not limited to, fairgrounds, fairs, festivals, auditoriums, stadiums, large event conference rooms, meeting halls, libraries, indoor or outdoor arenas, tracks, zoos, aquariums, swimming pools, indoor or outdoor auctions, indoor theatres, or any other confined indoor or outdoor space.

Gathering occupancy for indoor and outdoor facilities are not restricted, however indoor venues must submit a “plan for reopening” prior to reopening.

Plans for Reopening: In counties with a population of less than five-hundred-thousand (500,000), indoor venues with a rated capacity of five-hundred (500) or more individuals must submit a “plan for reopening” to the applicable Local Public Health Department BEFORE reopening. The plan must contain at a minimum the following: planned number of guests/attendees, how the venue will meet applicable social distancing guidelines, sanitation guidelines and any other applicable DHM requirement. All plans must be approved by the Local Public Health Department prior to reopening.

For counties with a population of five hundred thousand (500,000) or more individuals, indoor venues with a rated capacity of one-thousand (1,000) or more individuals must submit a “plan for reopening” to the applicable Local Public Health Department BEFORE reopening. The plan must contain at a minimum: planned number of guests/attendees, how the venue will meet applicable social distancing guidelines, sanitation guidelines and any other applicable DHM requirement. All plans must be approved by the Local Public Health Department prior to reopening.

For the purpose of clarity, a gathering does not include normal operations at airports, bus and train stations, health care facilities and services (as defined in the Health Care Facility Licensure Act Neb. Rev. Stat. §§ 71-401 to 71-475), other mental health and/or substance use treatment day programs which are not required to be licensed (such as Day Rehabilitation or Day Treatment), shopping malls and centers, or other spaces where ten or more persons may be in transit. It also does not include typical office environments, factories, or retail or grocery stores where large numbers of people are present but it is typically unusual for them to be within six feet of one another. It also does not include events at which members of the media

may need to be present, courts of law, public utilities, state, county, and city operations, election offices and polling places on election day, logistics/distribution centers, family residences housing ten or more people, or religious services. However, these settings are directed to use heightened, diligent and effective disinfection of exposed surfaces meeting the directions of the Nebraska Department of Health and Human Services, Centers for Disease Control and Prevention, and the Environmental Protection Agency. It also does not include any location, business or service identified below in this section, (section 1.).

Extracurricular youth activities are not restricted by this directed health measure. Adherence to any additional applicable State issued guidance is strongly recommended.

For restaurants, bars, taverns, bowling alleys, private clubs, bottle clubs, and gentleman clubs, regardless of name or characterization: adherence to any applicable State issued guidance is strongly recommended.

For beauty/nail salons, barbershops, massage therapy offices or centers, bowling alleys, pool halls, body art or tattoo establishments, and any other indoor businesses where staff and patrons are within six (6) feet of each other for fifteen (15) consecutive minutes or more: adherence to any applicable State issued guidance is strongly recommended.

For Daycare/child care services, where staff, volunteers, or other child care practitioners are within six (6) feet of children for fifteen (15) consecutive minutes or more: adherence to any applicable State issued guidance is strongly recommended.

For health/fitness clubs, gyms, and fitness centers, regardless of name or characterization: adherence to any applicable State issued guidance is strongly recommend.

Religious Services: adherence to any applicable State issued guidance is strongly recommend.

Wedding and funeral receptions: adherence to any applicable State issued guidance is strongly recommend.

2. All businesses are hereby reminded to follow any COVID-19 related safety guidelines established or published by their respective professional, regulatory, or advisory associations or agencies relating to or regarding the use of personal protective equipment.

For United States Government (USG) COVID-19 vaccination program providers (CVP), the following requirement(s) shall apply:

- By April 1 2021, CVPs must use the state designated COVID-19 vaccine registration and scheduling software tool. Please see State issued guidance for software tool onboarding.
3. For pharmacies participating in the Federal Retail Pharmacy program (Participating Pharmacies) the following requirements shall apply:
- COVID-19 vaccines received through the Federal Retail Pharmacy program may be administered to those persons sixty-five (65) years and older, health care workers with direct patient care duties, or critical infrastructure workers.
 - Participating Pharmacies may also administer the above vaccines to those persons fifty (50) years and older, upon the State Department of Public Health's authorization to do so. Further guidance will be provided regarding how to seek and receive state authorization to administer vaccines to those fifty (50) years and older.
 - Participating Pharmacies must ensure one hundred (100%) percent of weekly first doses received through the Federal Retail Pharmacy Program are administered within a week (seven [7] calendar days) of receipt of the doses by the Participating Pharmacies.
 - Prior to April 1, 2021, Participating Pharmacies must coordinate COVID-19 vaccination schedules with the local health department where the pharmacy is located or the Participating Pharmacy must have implemented the state designated COVID-19 vaccine registration and scheduling software tool.
 - By April 1 2021, Participating Pharmacies must use the state designated COVID-19 vaccine registration and scheduling software tool. Please see State issued guidance for software tool onboarding.
4. School Aged Individuals or other individuals who have tested positive for COVID-19 or who develop any one of the following symptoms: a sudden onset of a cough, sudden onset of shortness of breath, or sudden loss of taste or smell shall home-Isolate, unless Isolated in a health care facility, when required per the attached Quarantine and Isolation Directions.

School Aged Individuals or other individuals who develop two or more of the following symptoms: a fever of 100.4 or above, chills, muscle aches, headache, sore throat, nausea or vomiting, diarrhea, or fatigue shall home-Isolate, unless Isolated in a health care facility, when required per the attached Quarantine and Isolation Directions.

School Aged Individuals or other individuals who have had Close Contact shall home-Quarantine, unless Quarantined in a health care facility, when required per the attached Quarantine and Isolation Directions.

Please see the attached, and hereby incorporated in full, Quarantine and Isolation directions, per 173 NAC 6-006.03B.

5. Any employer required by law to provide housing to an employee or worker and who provides congregate or shared housing to employees or workers, must, at minimum: (1) post signage throughout the shared or congregate housing communicating prevention measures such as proper cleaning, disinfection, hand washing, cough etiquette, and avoiding non-essential physical contact, (2) daily clean and disinfect shared areas in such housing, (3) perform daily verbal screening and temperature checks of all employees or workers living in employer provided shared or congregate housing, (4) provide alternative housing arrangements for any employee or worker who tests positive for COVID-19 or who has the following symptoms – fever of 100.4 F. or above, or a sudden onset of a cough or sudden onset or shortness of breath – separate from housing provided to employees or workers who test negative for COVID-19 or are without symptoms, (5) provide alternative housing arrangements for any employee or worker who had close contact with a confirmed or suspected COVID-19 case separate from housing provided to employees or workers who test negative for COVID-19 or are without symptoms, and separate from any employee or worker who tests positive for COVID-19 or who have the following symptoms – fever of 100.4 F. or above, or a sudden onset of a cough or sudden onset or shortness of breath, and (6) thoroughly clean and disinfect all housing areas where a confirmed or suspected COVID-19 case spent time.

- II. This order supersedes previous Directed Health Measure Orders 2020-001, 2020-002, 2020-003, 2020-004, 2020-005, 2020-006, 2020-007, 2020-008, 2020-009, 2020-010, 2020-011, ELHD-001, ELHD-002, ELHD-003, ELHD-004, ELHD-005, ELHD-006, ELHD-007, ELHD-008, ELHD-009, ELHD-010, ELHD-011, ELHD-012, ELHD-013, ELHD-014, ELHD-015, ELHD-016, ELHD-017, ELHD-018, ELHD-019, ELHD-020, ELHD-021 and ELHD-022 for the aforementioned county(s), provided, this Order does not supersede the provisions of any Directed Health Measure(s) issued by Local Health Departments, except that the Directed Health Measures contained in this order are binding and enforceable regardless of any Directed Health Measure(s) issued by Local Health Departments or municipalities.

This Order will remain in effect no longer than necessary to ensure that individuals or groups affected by COVID-19 no longer pose a public health threat.

Failure to comply with this Order will result in legal action for enforcement by civil and/or criminal remedies.

In the event of noncompliance with the terms of this Order, law enforcement and other Municipal and Local Public Health Department personnel will be required to aid the Department in enforcement of the Order, pursuant to 173 NAC 6 and NEB. REV. STAT. § 71-502.

Any person subject to this Order may request a contested case hearing to contest the validity of the Order. A request can be made to the DHHS Hearing Office by fax at 402-742-2376 or requested by phone at 402-471-7237.

Upon request, the Department will schedule a hearing to be held as soon as reasonably possible under the circumstances. Unless requested otherwise, the hearing will be scheduled no sooner than three days after the request is received by the Department. The hearing will be conducted in accord with the Department's rules of practice and procedure adopted pursuant to the Administrative Procedure Act.


The parties to the hearing will be limited to the Department and requesting party unless one or more additional persons have requested contested case hearings on substantially identical issues; the interests of administrative economy require that the matters be consolidated; and no party would be prejudiced by consolidation, in which case notice of the consolidation will issue.

A party may be represented by counsel at the party's own expense, or may appear *pro se* if a natural person.

Reasonable prior notice of the time and place for hearing will be given. The hearing may be conducted in whole or in part by telephone.

The purpose of the hearing is to determine if the factual bases for the Order exist and the reasonableness of the ordered measures. The Director may affirm, reverse or modify the Order by a written Findings of Fact, Conclusions of Law, and Order to be issued as soon as reasonably possible after the hearing.

For the Nebraska Department of Health and Human Services:



Gary Anthone, MD
Chief Medical Officer/Director of Public Health

3-15-21
Date

Pursuant to Title 173 Neb. Admin. Code. Ch. 6, 007.02, this Order has been provided to and shall be disseminated through mass media.

Quarantine and Isolation Directions

Symptoms of the subject disease and course of treatment:

These symptoms (Symptoms) may appear 2-14 days after exposure: fever of 100.4 degrees Fahrenheit or above, cough, shortness of breath, and/or a sudden loss of taste or smell. Follow your medical provider's directions for course of treatment. Emergency warning signs for COVID-19 require medical attention immediately. Emergency warning signs include: trouble breathing, persistent pain or pressure in the chest, new confusion or inability to arouse and bluish lips or face. Consult your medical provider for any other symptoms that are severe or concerning.

Instructions on the disinfecting or disposal of any personal property:

Surfaces

- Wear disposable gloves when cleaning and disinfecting surfaces. Gloves should be discarded after each cleaning. If reusable gloves are used, those gloves should be dedicated for cleaning and disinfection of surfaces for COVID-19 and should not be used for other purposes. Consult the manufacturer's instructions for cleaning and disinfection products used. Clean hands immediately after gloves are removed.
- If surfaces are dirty, they should be cleaned using a detergent or soap and water prior to disinfection.
- For disinfection, diluted household bleach solutions, alcohol solutions with at least 70% alcohol, and most common EPA-registered household disinfectants should be effective.
 - Diluted household bleach solutions can be used if appropriate for the surface. Follow manufacturer's instructions for application and proper ventilation. Check to ensure the product is not past its expiration date. Never mix household bleach with ammonia or any other cleanser. Unexpired household bleach will be effective against coronaviruses when properly diluted.
 - Prepare a bleach solution by mixing:
 - 5 tablespoons (1/3rd cup) bleach per gallon of water or
 - 4 teaspoons bleach per quart of water
 - Products with EPA-approved emerging viral pathogen claims <https://www.epa.gov/pesticide-registration/list-n-disinfectants-use-against-sars-cov-2> are expected to be effective against COVID-19 based on data for harder to kill viruses. Follow the manufacturer's instructions for all cleaning and disinfection products (e.g., concentration, application method and contact time, etc.).
- For soft (porous) surfaces such as carpeted floor, rugs, and drapes, remove visible contamination if present and clean with appropriate cleaners indicated for use on these surfaces. After cleaning:
 - Launder items as appropriate in accordance with the manufacturer's instructions. If possible, launder items using the warmest appropriate water

setting for the items and dry items completely, or Use products with the EPA-approved emerging viral pathogens claims (examples at this link <https://www.americanchemistry.com/Novel-Coronavirus-Fighting-Products-List.pdf> that are suitable for porous surfaces.

Clothing, towels, linens and other items that go in the laundry

- Wear disposable gloves when handling dirty laundry from an ill person and then discard after each use. If using reusable gloves, those gloves should be dedicated for cleaning and disinfection of surfaces for COVID-19 and should not be used for other household purposes. Clean hands immediately after gloves are removed.
 - If no gloves are used when handling dirty laundry, be sure to wash hands afterwards.
 - If possible, do not shake dirty laundry. This will minimize the possibility of dispersing virus through the air.
 - Launder items as appropriate in accordance with the manufacturer's instructions. If possible, launder items using the warmest appropriate water setting for the items and dry items completely. Dirty laundry from an ill person can be washed with other people's items.
 - Clean and disinfect clothes hampers according to guidance above for surfaces. If possible, consider placing a bag liner that is either disposable (can be thrown away) or can be laundered.

Precautions to prevent the spread of the subject disease:

Stay home except to get medical care.

- Stay home: People who are mildly ill with COVID-19 are able to recover at home. Do not leave, except to get medical care. Do not visit public areas.
- Stay in touch with your doctor. Call before you get medical care. Be sure to get care if you feel worse or you think it is an emergency.
- Avoid public transportation: Avoid using public transportation, ride-sharing, or taxis.

Separate yourself from other people in your home, this is known as home isolation

- Stay away from others: As much as possible, you should stay in a specific "sick room" and away from other people in your home. Use a separate bathroom, if available.
- Limit contact with pets & animals: You should restrict contact with pets and other animals, just like you would around other people.
 - Although there have not been reports of pets or other animals becoming sick with COVID-19, it is still recommended that people with the virus limit contact with animals until more information is known.

- When possible, have another member of your household care for your animals while you are sick with COVID-19. If you must care for your pet or be around animals while you are sick, wash your hands before and after you interact with them.

Call ahead before visiting your doctor

- Call ahead: If you have a medical appointment, call your doctor's office or emergency department, and tell them you have or may have COVID-19. This will help the office protect themselves and other patients.

Wear a facemask if you are sick

- If you are sick: You should wear a facemask when you are around other people and before you enter a healthcare provider's office.
- If you are caring for others: If the person who is sick is not able to wear a facemask (for example, because it causes trouble breathing), then people who live in the home should stay in a different room. When caregivers enter the room of the sick person, they should wear a facemask. Visitors, other than caregivers, are not recommended.

Cover your coughs and sneezes

- Cover: Cover your mouth and nose with a tissue when you cough or sneeze.
- Dispose: Throw used tissues in a lined trash can.
- Wash hands: Immediately wash your hands with soap and water for at least 20 seconds. If soap and water are not available, clean your hands with an alcohol-based hand sanitizer that contains at least 60% alcohol.

Clean your hands often

- Wash hands: Wash your hands often with soap and water for at least 20 seconds. This is especially important after blowing your nose, coughing, or sneezing; going to the bathroom; and before eating or preparing food.
- Hand sanitizer: If soap and water are not available, use an alcohol-based hand sanitizer with at least 60% alcohol, covering all surfaces of your hands and rubbing them together until they feel dry.
- Soap and water: Soap and water are the best option, especially if hands are visibly dirty.
- Avoid touching: Avoid touching your eyes, nose, and mouth with unwashed hands.

Avoid sharing personal household items

- Do not share: Do not share dishes, drinking glasses, cups, eating utensils, towels, or bedding with other people in your home.

- Wash thoroughly after use: After using these items, wash them thoroughly with soap and water or put in the dishwasher.

Clean all "high-touch" surfaces everyday

Provisions to ensure and monitor compliance:

Definitions:

School Aged Individuals: Those individuals 5-18 years of age or who are attending K- 12 educational services.

Self-Monitor: Perform a self-check or be monitored twice daily for a fever of 100.4 F or above and the Symptoms (defined above) for fourteen days. Coordinate with your health care provider and local public health department.

Close Contact: Close Contact for individuals, other than School Aged Individuals, occurs when an individual has been within six (6) feet (2 meters), for at least fifteen (15) minutes, of a person(s) whom has developed or during the 48 hours prior to the person developing one or more of the following symptoms: a sudden onset of a cough, sudden onset of shortness of breath or sudden loss of taste or smell; or a person(s) whom has developed or during the 48 hours prior to the person developing two or more of the following symptoms: a fever of 100.4 or above, chills, muscle aches, headache, sore throat, nausea or vomiting, diarrhea or fatigue; or with a person whom has tested positive for COVID-19 or during the 48 hours prior the person testing positive for COVID-19 whichever event occurs earlier.

Except that, contact with a person who exhibits the above symptoms whom later tests negative for COVID-19 or later receives an alternative diagnosis (influenza, allergies, or other chronic condition) does NOT constitute close contact.

For School Aged Individuals, close contact only occurs when the School Aged Individual has been within six (6) feet (2 meters) of a person whom has developed or during the 48 hours prior to the person testing positive for Covid-19, for at least fifteen (15) minutes.

Quarantine: All individuals required to Quarantine shall remove themselves from situations where others could be exposed/infected, and self-monitor for symptom development. The circumstances under which individuals, including School Aged Individuals, are required to Quarantine are set forth below.

Isolation: All individuals required to Isolate shall eliminate contact with others. The circumstances under which individuals, including School Aged Individuals, are required to Isolate are set forth below.

Initial Positive Case: The individual who is first identified as COVID-19 positive in an indoor school space.

Extracurricular Event: Means a school-sponsored event (sporting activity or other extracurricular activity), or an otherwise club-sanctioned team sport activity or event for School Aged Individuals. For the purposes of determining Close Contact for School Aged Individuals, the duration of an Extracurricular Event includes only the period of time actually performing or participating in the event(s) or an actual scheduled, formal practice(s) for the event(s). It does not include, for example, transportation to or from the event(s), pre or post event(s) activities or preparations, or other activities ancillary or in addition to the actual event(s) or practice(s). This definition also does not include events or activities sponsored or organized to avoid the requirements of any Directed Health Measure or Quarantine and Isolation Directions.

Club Sport or Sporting Club: A group or organization formed for the purpose of playing a "School Aged Individual" (youth) sport.

Who is required to Isolate or Quarantine:

Quarantine is required for all individuals who have had a Close Contact, excluding those individuals who have tested positive for COVID-19 within the 3 months prior to the Close Contact as long as they do not develop new COVID-19 symptoms.

Isolation is required for all individuals: whom have tested positive for COVID-19; or whom develop one or more of the following symptoms: a sudden onset of a cough, sudden onset of shortness of breath or sudden loss of taste or smell; or whom develop two or more of the following symptoms: a fever of 100.4 or above, chills, muscle aches, headache, sore throat, nausea or vomiting, diarrhea or fatigue.

You have a right to an independent medical exam at your own expense.

Specific exceptions for School Aged Individuals:

In an outdoor Extracurricular Event or in an indoor Extracurricular Event held in a gymnasium, the Initial Positive Case will isolate at home, and the School Aged Individual(s) who had Close Contact may self-monitor in lieu of quarantine.

*In any other indoor school space where **everyone is masked**, including the Initial Positive Case, the Initial Positive Case will isolate at home, and the remainder of the School Aged Individual(s) will self-monitor for symptoms.*

*In any other indoor school space where the **Initial Positive Case is not masked**, the Initial Positive Case will be Isolated at home, and any School Aged Individual(s) who had Close Contact will Quarantine at home. In an indoor school space where **the Initial Positive Case is masked but others are not**, the Initial Positive Case will Isolate at home, those School Aged Individual(s)*

without masks and had Close Contact with Initial Positive Case who were exposed will Quarantine at home, and the remainder of the School Aged Individual(s) in the indoor school space will Self-Monitor for symptoms.

*In any other indoor school space where **no School Aged Individual was masked**, the Initial Positive Case will be Isolated at home, and any School Aged Individual(s) who had Close Contact with Initial Positive Case will Quarantine at home.*

School Aged Individuals who are required to self-monitor are required to wear masks.

Specific exception for Educational Workers:

For pre-K-12 teachers, para-educators and other certificated and non-certificated staff employed by schools and ESUs (Educational Workers); who have had close contact with a person(s) whom has developed or during the 48 hours prior to the person developing one or more of the following symptoms: a sudden onset of a cough, sudden onset of shortness of breath or sudden loss of taste or smell; or whom has developed or during the 48 hours prior to the person developing two or more of the following symptoms: a fever of 100.4 or above, chills, muscle aches, headache, sore throat, nausea or vomiting, diarrhea or fatigue or with a person whom has tested positive for COVID-19 or during the 48 hours prior the person testing positive for COVID-19 whichever event occurs earlier, Educational Workers may meet the following Conditions while performing their duties of their employment with schools and ESUs In Lieu of Quarantine*:

- appropriately wear a face covering or mask for 14 days following exposure AND
- practice social distancing **AND**
- self-monitor twice daily for fever and other symptoms listed above for fourteen days and have no symptom development

Please consult your local health department for further COVID-19 guidance on each situation. Schools should also perform and document temperature and symptom checks prior to starting work each day and retain documentation for local health departments.

*If symptom development occurs within the 14 day quarantine period or Conditions In Lieu of Quarantine, please refer to Isolation instructions.

Specific exception for First Responders and Health Care Workers:

For First Responders (911, law enforcement, fire & rescue, paramedic/emergency medical services) and Health Care Workers (medical, clinical or direct patient care staff employed by hospitals/patient care centers/urgent care); who have had close contact with a person(s) whom has developed or during the 48 hours prior to the person developing one or more of the following symptoms: a sudden onset of a cough, sudden onset of shortness of breath or sudden loss of taste or smell; or whom has developed or during the 48 hours prior to the person developing two or more of the following symptoms: a fever of 100.4 or above, chills, muscle aches, headache,

sore throat, nausea or vomiting, diarrhea or fatigue; or with a person whom has tested positive for COVID-19 or during the 48 hours prior the person testing positive for COVID-19 whichever event occurs earlier, First Responders and Health Care Workers may meet the following Conditions while performing their duties of their employment with In Lieu of Quarantine*:

- appropriately wear a face covering or mask for 14 days following exposure AND
- practice social distancing AND
- self-monitor twice daily for fever and other symptoms listed above for fourteen days and have no symptom development

Please consult your local health department for further COVID-19 guidance on each situation.

*If symptom development occurs within the 14 day quarantine period or Conditions In Lieu of Quarantine, please refer to Isolation instructions.

Specific exception for Individuals who are fully vaccinated for COVID-19:

For individuals who have received a full series of a COVID-19 vaccine, are 2 weeks or more since their last COVID-19 vaccine dose, (for the purposes of this section a COVID-19 vaccine is any COVID-19 vaccine which has received Emergency Use Authorization from the US Food and Drug Administration); and who have had close contact with a person(s) whom has developed or during the 48 hours prior to the person developing one or more of the following symptoms: a sudden onset of a cough, sudden onset of shortness of breath or sudden loss of taste or smell; or whom has developed or during the 48 hours prior to the person developing two or more of the following symptoms: a fever of 100.4 or above, chills, muscle aches, headache, sore throat, nausea or vomiting, diarrhea or fatigue; or with a person whom has tested positive for COVID-19 or during the 48 hours prior the person testing positive for COVID-19 whichever event occurs earlier, may meet the following Conditions In Lieu of Quarantine*:

- appropriately wear a face covering or mask for 14 days following exposure AND
- practice social distancing AND
- self-monitor twice daily for fever and other symptoms listed above for fourteen days and have no symptom development

Please consult your local health department for further COVID-19 guidance on each situation.

*If symptom development occurs within the 14 day quarantine period or while following Conditions In Lieu of Quarantine, please refer to Isolation instructions.

Isolation Duration

Isolation shall continue until:

- at least ten (10) days* have passed since onset of symptoms **AND**
- symptoms have improved **AND**
- the isolated individual has been fever-free for at least 24 hours without the use of fever reducing medication.

*For patients with severe illness or are severely immunocompromised this length of time may need to be extended. Please consult your health care provider or local health department for further guidance on those situations.

However, individuals who tested positive for COVID-19 and do NOT have symptoms may discontinue isolation under the following conditions:

- at least ten (10) days have passed since the date of their 1st positive test **AND**
- have had no symptom development **AND**
- for 3 days following discontinuation of isolation, these people must continue to limit contact (stay 6 feet away from others) and when possible wear a face covering (such as a cloth mask).

Quarantine Duration

Quarantine or Conditions in lieu of Quarantine may discontinue without testing under the following conditions:

- at least 10 days have passed since the quarantined individuals last Close Contact (see definition above) exposure **AND**
- has had no symptom development **AND**
- continues to self-monitor daily for symptom development through day 14 since last Close Contact (see definition above) exposure **AND**
- wears a facial covering (such as a cloth mask) through day 14 since last Close Contact.

Quarantine or Conditions in lieu of Quarantine may discontinue with testing under the following conditions:

- at least seven (7) days have passed since the quarantined individuals last Close Contact (see definition above) exposure **AND**
- has had no symptom development **AND**
- results of a diagnostic specimen test (molecular or antigen) is negative, **AND** the specimen was collected no earlier than 5 days since the quarantined individuals last Close Contact (see definition above) exposure **AND**

- continues to self-monitor daily for symptom development through day 14 since last Close Contact (see definition above) exposure **AND**
 - wears a facial covering (such as a cloth mask) through day 14 since last Close Contact (see definition above) exposure

Note: If COVID-19 symptoms develop during the individuals quarantine period, the individual should seek testing. If the individual tests positive for COVID-19, then the individual moves to Isolation.